

F-E701

ANTI-THEFT SYSTEM (RF)



Product Features

- **Dual board**

Detection range: 1~1.5m for Soft label.

1~1.8m for Hard tag.

Feature: Wide detection and stable.

- **Mono board**

Detection range: 0.8~1m x2 for Soft label.

1~1.4m x2 for Hard tag.

Feature: Every antenna will work independently.

Technical Specifications

Model	F-E701
Frequency	8.2Mhz (RF)
Function	Mono / Dual antenna
Color	Silver grey
Working Mode	Transmitter & Receiver / Mono
Material	Aluminum Alloy
Dimension	1550*440*95mm

Accessories

F-T022 - RF Mini Round Tag

- Frequency: 8.2MHz.
- Size: 43mm*37mm.
- Material: ABS Plastic (White color).
- Pull Force: 350 N.



F-T015 - RF Round Tag

- Frequency: 8.2MHz.
- Size: Diameter 50mm.
- Material: ABS Plastic (White color).



F-S4040 - RF Soft Label

- Frequency: 8.2Mhz.
- Dimension: 40mm*40mm.
- High sensitivity.
- Function: Stick on surface of the commodity.
- Usage Counter: One time usage.
- High quality paper with aluminium foil.



F-D520 - RF Deactivator

- Frequency: 8.2Mhz.
- Dimension: 235mm*235mm.
- Deactivate Height: 20cm.
- Voltage: 220/110V.
- Installation: Table top and flush mounting.
- Plug and play.



F-T916 - Universal Hard Tag Detacher

- Unit Dimension: 74mm*35mm.
- Material: Magnetic Steel, Aluminum Alloy.
- Color: Silver.
- Magnetic Force: 12,000GS.
- Easy to use, can be mounted on desk.
- Universal design, suitable for most tags.



F-G124 - Large Spider Tag

- Frequency: 58Khz/8.2Mhz.
- Alarm: 2-alarm/ 3-alarm.
- Spider Diameter: 72mm.
- Lanyard Length: 80cm.
- Color: Black.
- Battery: Replacable.
- Alarm Way

1st alarm: EAS system alarms when spider passing by.

2nd alarm: Cutting lanyard, spider alarms.

3rd alarm: Spider alarms itself when it passes EAS system.

